


## 8 Pocket



## Reliable Air Flow Bag, 65%

### Characteristics

Media: 100% Synthetic Polypropylene Microfiber

Pockets: Ultrasonically Welded Seams & Edges

Pocket Flutes: Ultrasonically Welded Support Spacers

Header: Electro-Galvanized Metal Header and "J" Style Media Retainers

### Air Flow Bag 65%-8 Pocket

Model Number	Width "A"	Height "B"	Depth "C"	Number of Pockets	Air Flow Capacity (cfm)	Initial Resistance ("w.g.)
AFB865S-4430	23-3/8"	23-3/8"	30"	8	2000	.19
AFB865S-4426	23-3/8"	23-3/8"	26"	8	1500	.18
AFB865S-4422	23-3/8"	23-3/8"	22"	8	1500	.19
AFB865S-4415	23-3/8"	23-3/8"	15"	8	1000	.19
AFB665S-0430	19-3/8"	23-3/8"	30"	6	1500	.19
AFB665S-0426	19-3/8"	23-3/8"	26"	6	1125	.18
AFB665S-0422	19-3/8"	23-3/8"	22"	6	1125	.19
AFB665S-0415	19-3/8"	23-3/8"	15"	6	750	.19
AFB465S-2430	11-3/8"	23-3/8"	30"	4	1000	.19
AFB465S-2426	11-3/8"	23-3/8"	26"	4	750	.18
AFB465S-2422	11-3/8"	23-3/8"	22"	4	750	.19
AFB465S-2415	11-3/8"	23-3/8"	15"	4	500	.19

### Notes:

Standard: UL 900, Class 2

Available with the following gasketing options:

- GU - Gasket Upstream
- GD - Gasket Downstream
- GS - Gasket Sides

### Other Options:

- C - Cambridge Header
- 1 - UL 900, Class 1

An example of the part number with options is: AFB865S-4430GU

## DAYTON RELIABLE AIR FILTER

2294 N. Moraine Dr.  
Dayton, Ohio 45439  
1-800-699-0747



Air Flow Bag 65%, MERV 11  
8 Pocket

Date	Part Number	Revision
Approved	AFB865S	